

Formax 1506 Pressure Sealer with Conveyor

1729446

Product Description

The FD 1506 Plus AutoSeal® offers a user-friendly mid-volume solution for processing one-piece pressure-sensitive mailers. Its color touchscreen control panel uses internationally-recognized symbols in place of text, and a speed of up to 6,250 forms per hour which enables operators to complete daily jobs with ease. Plus, the integrated output conveyor keeps processed forms in a neat, sequential order, ready for the mail.

Newly redesigned fold plates are clearly marked and easier to adjust, making the FD 1506 a breeze to setup, right out of the box. With the capacity to process 14" forms, it has the versatility to fold and seal virtually any mid-volume application to meet your needs. Fold plates are marked for four standard folds - Z, C, Uneven Z and Half folds - and can be easily reset for custom folds including Eccentric Z and C-fold mailers.

The compact desktop design and ease of set-up and operation make this unit ideal for small offices or individual departments. Built in the USA with proven Formax technology, the FD 1506 Plus is an economical solution with the quality and reliability you have come to expect from Formax.

Features

- Color Touchscreen Control Panel: Graphics-based and designed for easy, walk-up use
- Integrated Output Conveyor: Keeps processed forms in a neat, sequential order, ready for the mail
- Compact Desktop Design: The user-friendly design provides easy installation and operation
- Drop-In Top Feed System: Produces dependable feeding of forms with no paper fanning required
- 14" Form Length Capability: Flexibility to process forms up to 14" in length
- Speed: Up to 6,250 forms per hour
- Fold Types: Folds Z, C, Uneven Z, Uneven C, Half and custom folds
- Hopper Capacity: Up to 200 forms, 20#

Each information

Depth	37"
Width	17"
Height	13"
Gross weight	90.00lbs
UPC#	000000000000
Unit quantity	1

Case information

Depth	37"
Width	17"
Height	13"
Gross weight	90.00lbs
UPC#	000000000000
Unit quantity	1

Shipping Information

Country of origin	US
Minimum Order Quantity	1
Lowest possible unit	Each