

MicroSaver® 2.0 Keyed Ultra Laptop Lock

Smaller Size, No Compromise

K64432WW

Product Description

Kensington, The Professionals' Choice™ for device security for nearly 25 years, has produced the latest standard in device security – the MicroSaver 2.0 Keyed Ultra Laptop Lock. Engineered to be Kensington's smallest lock for laptops and other devices with no compromises, the MicroSaver 2.0 represents the next generation of laptop security with a cable that's 60% stronger than the standard model. The MicroSaver 2.0 was developed using strict specifications, patented technologies, and rigorous testing against tough environmental conditions, and can stand the test of time in a smaller, compact size.

Features

- Strong 10mm lock head offers uncompromised security for even the thinnest laptops and devices
- Patented Hidden Pin™ Technology provides anti-pick features unique to Kensington
- T-Bar™ Locking Technology attaches to the Kensington Security Slot™ found on most laptops and other devices
- Ultra carbon steel cable is extra thick to provide the highest level of cut resistance
- Pivot and rotate ball joint provides superior laptop engagement
- Independently verified and tested for industry-leading standards in torque/pull, foreign implements, lock lifecycle, corrosion, key strength and other environmental conditions
- Register & Retrieve™ program allows you to order replacement keys

Specifications

- | | |
|--|---|
| • Lock Management Type Standard Keyed | • Period of Warranty Limited 5-year warranty |
| • Lock Type Standard Keyed | • Security Slot Type Standard |
| • Cable Type Ultra | • Lock Technology Keyed |
| • PDP Request Quote Yes | |

Product information

Gross weight 0.34kg

Retail Packaging Information

Depth 170mm
Width 170mm
Height 30mm
Gross weight 0.23kg
UPC# 085896644323
Unit quantity 0

Master Case Information

Depth 297mm
Width 297mm
Height 167mm
Gross weight 6.30kg
UPC# 50085896644328
Unit quantity 25

Shipping Information

Minimum Order Quantity 1
Warranty Period 99

General information

Recycled % 0